

FloraStone®

decorative stone carving



The new and innovative FloraStone deliver a touch of elegant and stylish finishing to your home and design.

Comes in multiple floral design and sizes, FloraStone replicate the work of great traditional master craftsman's creation to the finest details.

Apart from the high quality signature of all CraftStone's products, with FloraStone's light-weight, durable and low porosity features, you will find FloraStone easy to install and virtually maintenance free for both indoor and outdoor application.

Add a timeless appeal and master piece of art to your home and design with FloraStone today!



by CraftStone®



www.craftstone.com.sg

log on now & discover the exciting world of CraftStone®!

FloraStone[®]

decorative stone carving

Comes in multiple floral design and sizes, the new and innovative FloraStone[®] deliver a touch of elegant and style to your home.

Apart from the high quality signature of all CraftStone[®]'s products, you will find FloraStone[®] easy to install and virtually maintenance free for both indoor and outdoor application.

Add a timeless appeal and master piece of art to your home and design with FloraStone[®] today!

A10101



L10 x W10 x 3cm(thk)

A10102



L10 x W10 x 3cm(thk)

A14141



L14 x W14 x 3.5cm(thk)

A15151



L15 x W15 x 4cm(thk)

A30301

L30 x W30 x 4cm(thk)



A20202



L20 x W20 x 2.5cm(thk)

A30304

L30 x W30 x 4cm(thk)



A30302

L30 x W30 x 4cm(thk)



A30305

L30 x W30 x 4cm(thk)



A30303

L30 x W30 x 4cm(thk)



A30306

L30 x W30 x 3.5cm(thk)



* The product colors in this brochure are as accurate as current photography and printing techniques allow. We suggest you look at actual samples for better idea and selection.

FloraStone[®]

by CraftStone[®]

A20201



L20 x W20 x 2.5cm(thk)

A20203



L20 x W20 x 4cm(thk)

A30307

L30 x W30 x 4cm(thk)



A303010

L30 x W30 x 4cm(thk)



A30308

L30 x W30 x 3.5cm(thk)



A303011

L30 x W30 x 4cm(thk)



A30309

L30 x W30 x 4cm(thk)



A303012



L30 x W30 x 4cm(thk)



A120601
L120 x W60 x 6.5cm(thk)



A120602
L120 x W60 x 6.5cm(thk)



A41413

L41 x W41 x 4.5cm(thk)



A80401

L80 x W40 x 4cm(thk)



A41412

L41 x W41 x 3.5cm(thk)



A41411

L41 x W41 x 3.5cm(thk)



A61612

L61 x W61 x 4cm(thk)



A60601

L60 x W60 x 4.5cm(thk)



FloraStone®

by CraftStone®



L30206
L30 x W20 x 3cm(thk)



B30301
L30 x W30 x 4cm(thk)



B30302
L30 x W30 x 4cm(thk)



B30303
L30 x W30 x 4cm(thk)



B30304
L30 x W30 x 4cm(thk)



All FloraStone® products are wrap with specially designed cardboards to protect the stone against damages while the polyester straps make handling easy and secure packaging.



Installation Method

FloraStone® can be installed onto any structurally sound and properly prepared surface.

For masonry walls, ensure that the wall is free from any paint, grease, oil or dirt. Apply mortar onto the entire back side of FloraStone® and remove excess mortar over flowing to the side. Press FloraStone® firmly on the wall and use nails for temporary supports before the mortar harden. Wipe off excess mortar around the edges.

For wooden surface, ensure that the surface is free from oil, dirt or paint. Secure metal mesh (cut to size of FloraStone®) on the surface with galvanised nails or staples. Apply adhesive construction glues or adhesive mortar onto the entire back side of FloraStone® and press firmly against the metal mesh to ensure the glue/mortar has embedded the metal mesh and sticking onto the wood surface. Remove excess glue/mortar around the edges.



All FloraStone® products are marked at the side with individual codes for easy identification!

Technical Specification

25-Year Limited Warranty

FloraStone® products carry a 25-year limited warranty when used on structures that conform to local building codes and installed according to the manufacturer's instruction. Warranty is limited to replacement of defective materials only. Damages resulting from building settlement, wall movement, force contact, contact with chemicals or paint, discoloration due to airborne contamination, staining or oxidation, will not be covered under the warranty.

Warranty is non-transferable and is only limited to the original purchaser.

Water Repellent

FloraStone® products feature the addition of water-based water repellent that greatly enhances the stone's performance in humid climate. Water repellent is mixed with the composite material during manufacturing, thus providing a more lasting effect than spray, brush or paint method.

Non-Combustible

FloraStone® products show zero flame spread and zero smoke development.

General Properties

Material Composition: Portland Cement, Light-Weight Aggregates and Iron Oxide Pigments.

Physical Properties

Water Absorption: <13%

Open Porosity*: <35%

Compressive Strength*: >12 0N/mm²

Flexural Strength*: >5 0N/mm²

*Test reference to NBN EN 1926 (1999), NBN EN 12372 (1999)



CraftStone® International Pte Ltd

32 Sungei Kadut Way
Singapore 728787

Tel: +65 6362 1588

Fax: +65 6365 6685

Website: www.craftstone.com.sg

Email: info@craftstone.com.sg